

Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Date of issue: 04/15/2016 Revision date: 04/15/2016 Version: 1.0

SECTION 1: IDENTIFICATION

1.1. PRODUCT IDENTIFIER

Product name : Pyrogel 100 Product code : Not available

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Use of the substance/mixture : Non-destructive testing

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET 1.3. Manufacturer Distributor

Magnaflux 155 Harlem Ave. Glenview, IL 60025 - USA

T: 847-657-5300

EMERGENCY TELEPHONE NUMBER

Emergency number : CHEMTREC 800-424-9300

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE 2.1.

GHS classification

Not classified

2.2. LABEL ELEMENTS

GHS labeling

No labelling applicable

2.3. OTHER HAZARDS

No additional information available

2.4. **UNKNOWN ACUTE TOXICITY (GHS)**

Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCE 3.1

Not applicable.

MIXTURE 3.2.

| Name | Product identifier | % |
|--|----------------------|------|
| Silica, amorphous, fumed, crystalline-free | (CAS No) 112945-52-5 | 6.00 |

SECTION 4: FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES 4.1.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists.

: In case of contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. First-aid measures after eye contact

If irritation persists, get medical attention.

First-aid measures after ingestion : If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give

anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED 4.2.

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling

Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

04/15/2016 EN (English US) Page 1



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: FIREFIGHTING MEASURES

5.1. EXTINGUISHING MEDIA

Suitable extinguishing media : Water spray. Alcohol resistant foam. Dry chemical. Carbon dioxide.

Unsuitable extinguishing media : None known.

5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon, silicon oxides,

formaldehyde.

5.3. ADVICE FOR FIREFIGHTERS

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA)

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

General measures : Use personal protection recommended in Section 8. Keep unnecessary personnel away from

the release

6.2. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

For containment : Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable

container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal

Protective Equipment (PPE).

Methods for cleaning up : Scoop up material and place in a disposal container.

Other information : Spilled material may present a slipping hazard.

6.3. REFERENCE TO OTHER SECTIONS

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: HANDLING AND STORAGE

7.1. PRECAUTIONS FOR SAFE HANDLING

Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not

swallow. Handle and open container with care. When using do not eat, drink or smoke.

Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage conditions : Keep out of the reach of children. Keep container tightly closed.

7.3. SPECIFIC END USE(S)

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. CONTROL PARAMETERS

| *Silica, amorphous, fumed, crystalline-free (112945-52-5) | | |
|---|-------------------------|----------------------------------|
| ACGIH | Not applicable. | |
| OSHA | OSHA PEL (TWA) (mppcf) | 20 mppcf |
| OSHA | OSHA PEL (TWA) (mg/m³) | (80)/(% SiO ₂) mg/m³ |
| USA - IDLH | US IDLH (mg/m³) | 3000 mg/m³ |
| USA - NIOSH | NIOSH REL (TWA) (mg/m³) | 6 mg/m³ |

^{*}Exposure limits are found under amorphous silica CAS No 7631-86-9

8.2. EXPOSURE CONTROLS

Appropriate engineering controls : Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below

recommended exposure limits.

Hand protection : None necessary under normal conditions of use. Wear gloves if handling large quantities.

Eye protection : Safety glasses or goggles are recommended when using product.

Skin and body protection : Wear suitable protective clothing.

04/15/2016 EN (English US) 2/5



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Respiratory protection None necessary under normal conditions of use. In case of insufficient ventilation, wear

suitable respiratory equipment.

Environmental exposure controls : Maintain levels below Community environmental protection thresholds.

: No data available

Other information Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical state : Liquid Appearance Viscous Color : Colorless Odor : Mild

: No data available Odor threshold : No data available На Melting point No data available Freezing point : No data available : No data available Boiling point Flash point : 293 °C (559 °F) (COC) Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not flammable **Explosion limits** : No data available : No data available Explosive properties : No data available Oxidizing properties Vapor pressure : No data available Relative density : 1.07 - 1.075 Relative vapor density at 20 °C : No data available : No data available

Auto-ignition temperature : 479 - 482 °C (894-899 °F)

Decomposition temperature : No data available Viscosity : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available

9.2. OTHER INFORMATION

Partition coefficient: n-octanol/water

No additional information available.

SECTION 10: STABILITY AND REACTIVITY

10.1. REACTIVITY

Solubility

No dangerous reaction known under conditions of normal use.

CHEMICAL STABILITY 10.2.

Stable under normal storage conditions.

10.3. POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4. **CONDITIONS TO AVOID**

Heat. Incompatible materials.

INCOMPATIBLE MATERIALS 10.5.

Oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS 10.6.

May include, and are not limited to: oxides of carbon, silicon oxides, formaldehyde, benzene.

04/15/2016 EN (English US) 3/5



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity : Not classified

| Pyrogel 100 | | |
|--|---|--|
| LD50 oral rat | No data available | |
| LD50 dermal rabbit | No data available | |
| LC50 inhalation rat | No data available | |
| Silica, amorphous, fumed, crystalline-free (112945-52-5) | | |
| LD50 oral rat | > 5000 mg/kg | |
| LD50 dermal rabbit | > 2000 mg/kg | |
| Skin corrosion/irritation | : Based on available data, the classification criteria are not met. | |
| Serious eye damage/irritation | : Based on available data, the classification criteria are not met. | |
| Respiratory or skin sensitization | : Based on available data, the classification criteria are not met. | |
| Germ cell mutagenicity | : Based on available data, the classification criteria are not met. | |
| Carcinogenicity | : Based on available data, the classification criteria are not met. | |
| Silica, amorphous, fumed, crystalline-free (112945-52-5) | | |
| IARC group | 3 - Not classifiable (listed under amorphous silica) | |
| Reproductive toxicity | : Based on available data, the classification criteria are not met. | |
| Specific target organ toxicity (single exposure) | : Based on available data, the classification criteria are not met. | |
| Specific target organ toxicity (repeated exposure) | : Based on available data, the classification criteria are not met. | |
| Aspiration hazard | : Based on available data, the classification criteria are not met. | |
| Symptoms/injuries after inhalation | : May cause respiratory tract irritation. | |

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

Symptoms/injuries after ingestion : May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

SECTION 12: ECOLOGICAL INFORMATION

12.1. TOXICITY

Ecology - general : May cause long-term adverse effects in the aquatic environment.

12.2. PERSISTENCE AND DEGRADABILITY

| Para rel 400 | |
|-------------------------------|------------------|
| Pyrogel 100 | |
| Persistence and degradability | Not established. |

12.3. BIOACCUMULATIVE POTENTIAL

| 12.0. BIOAGGGMGEATTE I GTERTIAL | | |
|---------------------------------|---------------------------|------------------|
| | Pyrogel 100 | |
| | Bioaccumulative potential | Not established. |

12.4. MOBILITY IN SOIL

No additional information available.

12.5. OTHER ADVERSE EFFECTS

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. WASTE TREATMENT METHODS

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

SECTION 14: TRANSPORT INFORMATION

In accordance with DOT/TDG/IATA/IMDG

DOT (bulk) : Not regulated DOT (non-bulk) : Not regulated

04/15/2016 EN (English US) 4/5



Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

TDG : Not regulated IATA : Not regulated IMDG : Not regulated

ADDITIONAL INFORMATION

Other information : No supplementary information available.

Special transport precautions : Do not handle until all safety precautions have been read and understood.


SECTION 15: REGULATORY INFORMATION

15.1. FEDERAL REGULATIONS

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

NFPA health hazard : 0
NFPA fire hazard : 1
NFPA reactivity : 0



15.3. US STATE REGULATIONS

| Pyrogel 100 | |
|----------------------------|---|
| State or local regulations | This product contains a chemical known to the State of California to cause birth defects or |
| | other reproductive harm |

SECTION 16: OTHER INFORMATION

Date of issue : 04/15/2016
Revision date : 04/15/2016
Other information : None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

04/15/2016 EN (English US) 5/5